

No. F5.501(1429)/DoITC HQ/2024/

Date: Digital Sign date

NOTIFICATION

Sub.: Regarding Minimum Technical Specifications of ICT items.

Ref.: Order No. P.1 (8) Fin./ GF&AR/ 98 PT.-I dated 09-02-2024 and circular No. P.1 (8) Fin./ GF&AR/ 98 PT.-I dated 12-02-2024 issued by Finance Dept., Govt. of Rajasthan.

In reference to the subject and pursuance of referred Order/ Circular cited above, all concerned are hereby informed that category-wise Minimum Technical Specification of ICT items are attached at annexure- "A" for consideration as generic Technical Specifications for Department's IT equipment procurement.

It is also advised:

1. to consider latest Notification published on Dept. of IT&C's website.
2. to strictly comply with the technical specifications uploaded on websites of DoIT&C & FD and the RTPP Rules with intention to maintain price competitiveness, avoiding monopoly and encouraging competition.
3. that in continuation to the Point No. 2, on compliance, Department(s) are ADVISED, to compare and evaluate Desktops Computers/ Laptops/ All-in-One/ Desktop Computers and Workstations based, upon (Processor Manufacturers 'AMD' & "Intel' on Parameters like, Price, Performance, overall, TCO (Total Cost of Ownership.)" upon publishing an RFP/ Tender.
4. that HDD/ SSD should be kept by Department as no replacement of the same should be made under AMC/ Warranty.

This bears approval from competent level.

Encl.: As above.

(Akhilesh Mittal)
Technical Director

Copy for information and necessary action to:

1. PS to Addl. Chief Secretary, Finance Dept., Rajasthan, Jaipur
2. Sr. PS to Commissioner & Secretary, Dept. of IT&C, Rajasthan, Jaipur
3. PS to Secretary, Secretary, Finance (Exp.) Dept., Rajasthan, Jaipur
4. Joint Secretary, Finance (GF & AR) Dept., Rajasthan, Jaipur
5. Group Head-Website, Dept. of IT&C, Jaipur to upload this Notification DoIT&C's website

Technical Director
Signature valid

Digitally signed by Akhilesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved



INDEX

Categories	Item	Page No.
Category 1	Desktop Computer	3
Category 2	All in one Desktop computer	12
Category 3	Laptop Computer	21
Category 4	Workstation	25
Category 5	Thin Client	26
Category 6	Printer	27
Category 7	MFP	35
Category 8	Scanner	42
Category 9	Tablet	44
Category 10	UPS	46
Category 11	Interactive Flat Panel Display (IFPD)	49
Category 12	TV	52
Category 13	Web Camera	57
Category 14	Digital Podium	58
Category 15	Camera	59
Category 16	Video Mixer	61
Category 17	Video Graphic Processor	62
Category 18	Wall / Ceiling Speakers	63
Category 19	Power Amplifier	63
Category 20	DSP with Audio Mixer	64
Category 21	Mic	64
Category 22	Switcher	65
Category 23	Projector	65
Category 24	LCD Writing Panel	65
Category 25	Head Phone	66
Category 26	Biometric Scanner	66
Category 27	Hard Drive	66
Category 28	Monitor	67
Category 29	Key-Board & Mouse	68
Category 30	CCTV setup	68

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Category 1. Desktop Computer

I. Entry Level configuration

A. Intel i3 with 14th Generation (estimated cost Rs. 60,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i3, 4 Core or higher, with minimum 3.0 GHz or higher (Base Frequency), 12 MB Cache or higher with 14th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

B. Ryzen 3 with 8000 Series (estimated cost Rs. 60,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen 3, 4 Core or higher, with minimum 3.4 GHz or higher (Base Frequency), 12 MB Cache or higher with 8000 Series or higher and to be Certified by OEM

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

C. Intel i3 with 13th Generation (estimated cost Rs. 50,000 considering pre-installed Genuine Windows 11 Professional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i3, 4 Core or higher, with minimum 3.0 GHz or higher (Base Frequency), 10 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	256 GB/ 512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 256 GB or 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

D. Ryzen 3 with 5000 Series (estimated cost Rs. 50,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen 3, 4 Core or higher, with minimum 4 GHz or higher (Base Frequency), 10 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	256 GB/ 512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 256 GB or 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

II. Medium level configuration

A. Intel i5 with 14th Generation (estimated cost Rs. 75,000 considering pre-installed GenuineWindows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i5, 10 Core or higher, with minimum 2.5 GHz or higher (Base Frequency), 20 MB Cache or higher with 14 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

B. Ryzen 5 with 8000 Series (estimated cost Rs. 75,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen 5, 6 Core or higher, with minimum 2.7 GHz or higher (Base Frequency), 22 MB Cache or higher with 8000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

C. Intel i5 with 13th Generation (estimated cost Rs. 60,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i5, 6 Core or higher, with minimum 2.5 GHz or higher (Base Frequency), 18 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) Hardware/Firmware
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

D. Ryzen 5 with 5000 Series (estimated cost Rs. 60,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen 5, 6 Core or higher, with minimum 3.9 GHz or higher (Base Frequency), 18 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

III. Mid-High level configuration

A. Intel i7 with 14th Generation (estimated cost Rs. 90,000 considering pre-installed GenuineWindows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i7, 20 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 33 MB Cache or higher with 14 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

B. Ryzen 7 with 8000 Series (estimated cost Rs. 90,000 considering pre-installed Genuine Windows 11 Professional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen 7, 8 Core or higher, with minimum 2.10 GHz or higher (Base Frequency), 24 MB Cache or higher with 8000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400 MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 21 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Note: NVIDIA 4GB Graphics Card having estimated cost of Rs. 20,000 may be added separately by the Departments as per their requirement in Desktops.

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

C. Intel i7 with 13th Generation (estimated cost Rs. 75,000 considering pre-installed GenuineWindows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i7, 12 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 12 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability <i>(As per requirement of Dept. for selection of 8 GB or 16 GB)</i>
Storage	512 GB/ 1 TB SSD <i>(As per requirement of Dept. for selection of 512 GB or 1 TB)</i>
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

D. Ryzen 7 with 5000 Series (estimated cost Rs. 75,000 considering pre-installed GenuineWindows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Ryzen7, 8 Core or higher, with minimum 3.8 GHz or higher (Base Frequency), 20 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement)

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

	2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Graphics	Integrated HD Graphic card or higher
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone
Display	Minimum 19.5 inch or higher, Resolution 1600x900 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS (for Monitor only)
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Desktop)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Form Factor	SFF/MT
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Expansion slots	Minimum two PCIe slots
Warranty	3 Years comprehensive on site OEM warranty

Category 2. All in one Desktop computer

I. Entry level configuration

A. Intel i3 with 14th Generation (estimated cost Rs. 75,000 considering pre-installed Genuine Windows 11 Professional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i3, 4 Core or higher, with minimum 3.0 GHz or higher (Base Frequency), 12 MB Cache or higher with 14 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

B. Ryzen 3 with 8000 Series (estimated cost Rs. 75,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	4 Core or higher, with minimum 3.4 GHz or higher (Base Frequency), 12 MB Cache or higher with 8000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

C. Intel i3 with 13th Generation (estimated cost Rs. 65,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i3, 4 Core or higher, with minimum 2.7 GHz or higher (Base Frequency), 10 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	256 GB/ 512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 256 GB or 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

D. Ryzen 3 with 5000 Series (estimated cost Rs. 65,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	4 Core or higher, with minimum 2.7 GHz or higher (Base Frequency), 10 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	256 GB/ 512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 256 GB or 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

II. Medium level configuration

A. Intel i5 with 14th Generation (estimated cost Rs. 85,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i5, 10 Core or higher, with minimum 2.5 GHz or higher (Base Frequency), 20 MB Cache or higher with 14 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

B. Ryzen 5 with 8000 Series (estimated cost Rs. 85,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	6 Core or higher, with minimum 2.7 GHz or higher (Base Frequency), 22 MB Cache or higher with 8000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

C. Intel i5 with 13th Generation (estimated cost Rs.75,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i5, 6 Core or higher, with minimum 2.5 GHz or higher (Base Frequency), 18 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

D. Ryzen 5 with 5000 Series (estimated cost Rs.75,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	6 Core or higher, with minimum 2.5 GHz or higher (Base Frequency), 18 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

III. Mid-High level configuration

A. Intel i7 with 14th Generation (estimated cost Rs.1,00,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i7, 20 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 33 MB Cache or higher with 14 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

B. Ryzen 7 with 8000 Series (estimated cost Rs.1,00,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	8 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 24 MB Cache or higher with 8000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR5 4400MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 5.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

C. Intel i7 with 13th Generation (estimated cost Rs.90,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	Intel i7, 8 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 20 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Chipset	Compatible Chipset
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

D. Ryzen 7 with 5000 Series (estimated cost Rs.90,000 considering pre-installed Genuine Windows 11 Profesional, 16 GB RAM and 1 TB Storage)

Parameter	Minimum Technical Specification
Processor	8 Core or higher, with minimum 2.1 GHz or higher (Base Frequency), 20 MB Cache or higher with 5000 Series or higher and to be Certified by OEM
Chipset	AMD
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Memory (RAM)	8 GB/ 16 GB DDR4 3200MHz or higher with 32/ 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Storage	512 GB/ 1 TB SSD (As per requirement of Dept. for selection of 512 GB or 1 TB)
Audio	Integrated audio controller with internal Speaker
Ports	Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Type-C Port, Audio jack for headphone & microphone
Camera	Integrated webcam 2 MP or higher
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Keyboard & Mouse	USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as AIO)
Network Interface	Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher
Accessories	All necessary cables
Security	2.0 Trusted Platform Module (TPM) (Hardware/Firmware)
Warranty	3 Years comprehensive on-site OEM warranty

Category 3. Laptop computer –

I. Entry level configuration

A. Intel i3 (estimated cost Rs.50,000 considering pre-installed Genuine Windows 11 Professional, 16 GB RAM and 512 GB Hard Drive)

Parameter	Minimum Technical Specification
Processor	Intel i3, Minimum 4 core or higher, 10 MB Cache or higher with 13 th or higher Generation and to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" HD (1366 × 768 HD display)/ Full HD Display (1920 × 1080 FHD display)
Memory (RAM)	8 GB/ 16 GB DDR4 or higher with 32/ 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Hard Drive	256 GB/ 512 GB (As per requirement of Dept. for selection of 256 GB or 512 GB)
Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Min 2 USB 3.0 Type A or higher, USB 3.0 Type C or higher, 1 Head phone/ Microphone combo/ separate, HDMI 1.4 port or higher
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

B. Ryzen 3 (estimated cost Rs.50,000 considering pre-installed Genuine Windows 11 Professional, 16 GB RAM and 512 GB Hard Drive)

Parameter	Minimum Technical Specification
Processor	Minimum 4 core or higher, 10 MB Cache or higher 7330 Series or higher and minimum 2.30 GHz or higher (Base Frequency) to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" HD (1366 × 768 HD display)/ Full HD Display (1920 × 1080 FHD display)
Memory (RAM)	8 GB/ 16 GB DDR4 or higher with 32/ 64 GB Expandability (As per requirement of Dept. for selection of 8 GB or 16 GB)
Hard Drive	256 GB/ 512 GB (As per requirement of Dept. for selection of 256 GB or 512 GB)
Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Min 2 USB 3.0 Type A or higher, USB 3.0 Type C or higher, 1 Head phone/ Microphone combo/ separate, HDMI 1.4 port or higher
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher
Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

II. Medium level configuration

A. Intel i5 (estimated cost Rs.70,000 considering pre-installed Genuine Windows 11 Professional)

Parameter	Minimum Technical Specification
Processor	Intel i5, Minimum 4 core or higher, 12 MB Cache or higher 13 th or higher Generation and to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" or higher diagonal Full HD Display
Memory (RAM)	16 GB DDR4 or higher expandable up to 32 GB
Hard Drive	512 GB SSD or higher
Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Minimum 2 USB 3.0 or higher, HDMI 1.4, Head phone/ Microphone combo/ separate, 1- USB type c
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher
Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

B. Ryzen 5 (estimated cost Rs.70,000 considering pre-installed Genuine Windows 11 Professional)

Parameter	Minimum Technical Specification
Processor	Minimum 6 core or higher, 18 MB Cache or higher 7530 Series or higher and minimum 2.00 GHz or higher (Base Frequency) and to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" or higher diagonal Full HD Display
Memory (RAM)	16 GB DDR4 or higher expandable up to 32 GB
Hard Drive	512 GB SSD or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Minimum 2 USB 3.0 or higher, HDMI 1.4, Head phone/ Microphone combo/ separate, 1- USB type c
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher
Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

III. Mid-High level configuration

A. Intel i7 (estimated cost Rs.75,000 considering pre-installed Genuine Windows 11 Professional)

Parameter	Minimum Technical Specification
Processor	Intel i7, Minimum 8 core or higher, 12 MB Cache or higher 13 th or higher Generation and to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" or higher diagonal Full HD Display
Memory (RAM)	16 GB DDR4 or higher expandable up to 32 GB
Hard Drive	1 TB SSD or higher
Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Minimum 2 USB 3.0 or higher, HDMI 1.4, Head phone/ Microphone combo/ separate, 1- USB type c
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher
Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

B. Ryzen 7 (estimated cost Rs.75,000 considering pre-installed Genuine Windows 11 Professional)

Parameter	Minimum Technical Specification
Processor	Minimum 8 core or higher, 20 MB Cache or higher 7730 Series or higher and minimum 2.00 GHz or higher (Base Frequency) and to be Certified by OEM
Operating System	1. Pre-installed OEM Certified Genuine Microsoft Windows 11 Professional (64 bit) or higher/ Latest Linux version (to be decided by concerned Dept. as per requirement) 2. Recovery partition (applicable for Windows).
Display	14" or higher diagonal Full HD Display
Memory (RAM)	16 GB DDR4 or higher expandable up to 32 GB
Hard Drive	1 TB SSD or higher
Speaker & Microphone	Inbuilt speakers and integrated digital microphone
Connection Type	Minimum 2 USB 3.0 or higher, HDMI 1.4, Head phone/ Microphone combo/ separate, 1- USB type c
Network card	Integrated 10/100/1000 GB Ethernet
Wireless Connectivity	Bluetooth 4.0 or above & integrated Wi-Fi 802.11 b/g/n or higher
Web Cam	Integrated HD Web Camera (Front facing)
Battery	Minimum 40Whr
Power Adapter	Standard power adapter
Antivirus	Minimum 3 years subscription Antivirus with protection for Ransomware, Browsing, Phishing along with OEM undertaking to be provided.
Certification	BIS
Compliance	RoHS
Accessories	Carry Bag
Warranty	3 Years comprehensive on site OEM warranty

Category 4. Workstation:

A. 13th Generation Intel® Core™ i9 (estimated cost of Rs. 2,00,000)

Parameter	Minimum Tech. Specifications
Processor	36 MB Cache, 14 Cores, 20 threads, up to 5 GHz Turbo or higher
Chipset	Compatible Chipset
Memory	32 GB (32X1) or higher, DDR5, 4800 MHz (Upgradeable up to minimum 64 GB)
Hard Disk Drive	1 TB or higher Gen. 4 PCIe NVMe M.2 SSD
Graphic Card	4GB or higher
I/O Ports	a) Universal audio jack b) min. 2 USB 3.2 Gen 1 Type-A (1x power enabled)

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

	c) min. 2 HDMI 2.0 or higher
	d) min. 1 Thunderbolt 4 USB-C ports with power-in
	e) Smart Card (Optional)
OS Certification	Windows/ RHEL Certified (as per requirement)
Networking	a) Min. 2 Integrated 10/100/1000 GB Ethernet b) Bluetooth 5.2 or above & integrated Wi-Fi 802.11 b/g/n or Wi-Fi 6 (802.11ax) or higher
OS	Windows 11/ RHEL (Windows 11 Pro License included) (English) or higher (as per requirement)
Keyboard & Mouse	Standard USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Workstation)
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Warranty	3 Years Onsite Comprehensive Warranty

B. AMD (estimated cost of Rs. 2,00,000)

Parameter	Minimum Tech. Specifications
Processor	36 MB Cache, 12 Cores, 24 threads, up to 3.0 GHz Turbo or higher
Memory	32 GB (32X1) or higher, DDR5 or above (Upgradeable up to 128 GB)
Hard Disk Drive	1 TB SSD or higher
Graphic Card	4GB or higher
I/O Ports	f) Universal audio jack
OS Certification	g) min. 2 USB 3.2 Gen 1 Type-A (1x power enabled)
	min. 2 HDMI 2.0 or higher
	min. 1 Thunderbolt 4 USB-C ports with power-in
	Smart Card (Optional)
	Windows/ RHEL Certified (as per requirement)
Networking	c) Min. 2 Integrated 10/100/1000 GB Ethernet
OS	d) Bluetooth 5.2 or above & integrated Wi-Fi 802.11 b/g/n or Wi-Fi 6 (802.11ax) or higher
	Windows 11/ RHEL (Windows 11 Pro License included) (English) or higher (as per requirement)
Keyboard & Mouse	Standard USB Keyboard & USB two button optical Mouse with Mouse Pad (Same make as Workstation)
Display	Minimum 23.8 inch or higher, Resolution 1920x1080 or higher Display
Warranty	3 Years Onsite Comprehensive Warranty
Memory	32 GB (32X1) or higher, DDR5, 4800 MHz (Upgradeable up to 64 GB)

Category 5. Thin Client (estimated cost Rs. 25,000/-)

Parameter	Minimum Technical Specification
Processor	Intel/AMD Dual Core or higher Processor, minimum 2.0 GHz with 4 MB or Higher Cache
Mother Board	Compatible Chipset
Graphic	HD Graphic

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Memory (RAM)	4 GB DDR4 RAM or higher, 2400 MHz or Higher upgradable 16 GB
Storage	256 GB SSD or Higher
Display	21.5 inch (or higher) HD Color Monitor with 1920 * 1080 or Higher resolution
Keyboard-Mouse	USB Keyboard (104 Keys) & Optical Scroll Mouse with mouse pad
Accessories	All necessary cables (power and data cables), Vesa kit for wall mounting
I/O Port	Minimum 4 USB (Min 2x3.0) ports, HDMI, Universal Audio Port/ Mic in-Speaker Out Port with extension to support two headphone
Network and connectivity	1 G LAN Ethernet, Integrated 5 G Dual band Wi-Fi
Features	Capable to work on RDP protocol as independent system
Operating System	Preloaded latest linux version with connection broker Citrix or VMware
Preloaded software	(1) Open office latest version (2) Adobe Acrobat Reader
Certification	BIS
Compliance	ROHS
Warranty	3 years comprehensive on-site warranty

Category 6. Printer –

I. Entry Level Configuration

A. Laser – 18 PPM (estimated cost Rs.10,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Manual Duplex
Connectivity	Hi-Speed USB 2.0 port
Duty Cycle (Monthly)	5000 pages or higher
Memory	16 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

B. InkTank – 18 PPM (estimated cost Rs. 10,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)
Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Manual Duplex
Connectivity	Hi-Speed USB 2.0 port
Duty Cycle (Monthly)	5000 pages or higher
Memory	16 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

C. Laser – 18 PPM (estimated cost Rs.15,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Memory	32 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

D. InkTank – 18 PPM (estimated cost Rs. 15,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Memory	32 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

E. Laser – 18 PPM with Wi-Fi & Ethernet (estimated cost Rs. 20,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port, Wi-Fi, Ethernet
Duty Cycle (Monthly)	8000 pages or higher
Memory	64 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

F. InkTank – 18 PPM with Wi-Fi & Ethernet (estimated cost Rs.20,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)
Paper size	A4 or higher
Print Speed (Minimum)	18 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port, Wi-Fi, Ethernet

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Duty Cycle (Monthly)	8000 pages or higher
Memory	64 MB or higher
Input paper tray capacity	100 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

II. Medium Level Configuration

A. Laser – 25 PPM (estimated cost Rs.20,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4, Legal or higher
Print Speed (Minimum)	25 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher
Duty Cycle (Monthly)	10000 pages or higher
Memory	128 MB or higher
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

B. InkTank – 25 PPM (estimated cost Rs.20,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)
Paper size	A4, Legal or higher
Print Speed (Minimum)	25 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher
Duty Cycle (Monthly)	10000 pages or higher
Memory	128 MB or higher
Input paper tray capacity	150 pages or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

C. Laser – 25 PPMwith Wi-Fi & Ethernet (estimated cost Rs.25,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4, Legal or higher
Print Speed (Minimum)	25 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher, Wi-Fi, Ethernet
Duty Cycle (Monthly)	10000 pages or higher
Memory	128 MB or higher
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

D. InkTank – 25 PPM (estimated cost Rs.25,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)
Paper size	A4, Legal or higher
Print Speed (Minimum)	25 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher, Wi-Fi, Ethernet
Duty Cycle (Monthly)	10000 pages or higher
Memory	128 MB or higher
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

III. Mid-High Level Configuration

A. Laser – 30 PPM (estimated cost Rs. 30,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	Laser
Paper size	A4, Legal or higher
Print Speed (Minimum)	30 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher, Wi-Fi, Ethernet
Duty Cycle (Monthly)	10000 pages or higher
Memory	256 MB or higher
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

B. InkTank – 30 PPM (estimated cost Rs.30,000)

Parameter	Minimum Technical Specification
Functions	Print
Printing technology	InkTank (Bottle/ Pouch Based)
Paper size	A4, Legal or higher
Print Speed (Minimum)	30 PPM (Mono) or higher
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Connectivity	Hi-Speed USB 2.0 port or higher, Wi-Fi, Ethernet
Duty Cycle (Monthly)	10000 pages or higher
Memory	256 MB or higher
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 Years comprehensive on site OEM warranty

IV. Colour Printer Laser – 20 PPM (estimated cost Rs. 30,000)

Parameter	Minimum Technical Specification
Printing Technology	Laser
Printing Function	Print

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Type of Printing	Colour
Duplex	Auto
Paper Size	A4, Legal
Print Speed (A4)Mono	20 PPM or higher
Print Speed (A4) color	20 PPM or higher
Print Resolution	600x600 Dpi or higher
Memory	256 MB or higher
Network Connectivity	USB, Ethernet, Wi-Fi
Cartridges	Black &Color Cartridges per install
Paper Tray Capacity (A4)	150 pages or higher
Duty Cycle(Monthly)	8000 pages or higher
Software media	Driver & Utility Software
Compatible Operating System	Windows, Linux, Mac OS.
Accessories	All necessary cables (Power & Communication)
Certification	BIS
Compliance	ROHS
Warranty	3 Years comprehensive on site OEM warranty

V. Dot Matrix Printer (DMP) (estimated cost Rs. 18,000)

Parameter	Minimum Technical Specifications
Pin	9 Pin
Columns	80 Column
High Speed Draft	500 CP Sat High Speed, Draft, 12 CPI or higher
Draft	300 CP Sat Draft, 10 CPI
Copies	1+4
Interface	Parallel and USB (Both USB and parallel cables along with accessories to be provided)
Input Buffer	100 KB or higher
Drivers	Windows/ Linux through website
Print Head Life	Min. 200 million character or better
MTBF (hrs. at 25% of duty cycle)	20000 POH or higher
Ribbon (Million Characters)	Min.7.5 or higher
MTBF (POH) @ 25% duty cycle)	Min.15,000
Accessories	All Accessories cables (Power and Data Cable) to be included
Warranty	3 years comprehensive on-site OEM warranty

VI. Dot Matrix Printer 80 Column: (Overall estimated cost Rs. 25,000)

Features	Specification
Printer type	Dot Matrix Printer
Pins	24 pins
Column	80 column or higher
Print speed in 12 CPI HSD	400 CPS or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Print speed in 10 CPI HSD	340 CPS or higher
Print speed in 10 CPI Draft	250 CPS or higher
Built in Barcode fonts	Yes. 8 built in barcode fonts
Built in Indian Language Fonts	YES
Paper path	Rear and Top Rear in, Top out
Copy capability	Min. 1+3 copies
Input Data Buffer	128 KB or higher
Standard Interface	Parallel, USB 2.0 and Serial
Ribbon Life	3 Million characters
Print Head Life	400 Mn strokes / pin
MTBF	10000 PoH
Acoustic Noise	53 DB
Operating System support	Windows and Linux
Certifications	BIS
Compliance	RoHS
Warranty	3 Years OEM onsite warranty

VII. Dot Matrix Printer 136 Column: (Overall estimated cost Rs. 45,000)

Features	Specification
Printer type	Dot Matrix Printer
Pins	24 pins
Column	136 column or higher
Print speed in 12 CPI HSD	400 CPS or higher
Print speed in 10 CPI HSD	340 CPS or higher
Print speed in 10 CPI Draft	250 CPS or higher
Built in Barcode fonts	Yes. 8 built in barcode fonts
Built in Indian Language Fonts	YES
Paper path	Rear and Top Rear in, Top out
Copy capability	Min. 1+3 copies
Input Data Buffer	128 KB or higher
Standard Interface	Parallel, USB 2.0 and Serial
Ribbon Life	3 Million characters
Print Head Life	400 Mn strokes / pin
MTBF	10000 PoH
Acoustic Noise	53 DB
Operating System support	Windows and Linux
Certifications	BIS
Compliance	RoHS
Warranty	3 Years OEM onsite warranty

VIII. Barcode Printer (estimated cost Rs. 12,000)

Parameter	Minimum Technical Specification
Printing Technology	Thermal Transfer
Print Speed	2 IPS or higher
Print Width	100mm (4.09") or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Print Length	991mm (39.33") or higher
Ribbon Length	Minimum 300 Mtr.
Ribbon	Automatic Ribbon Control & Positioning System
Label Sensor Type	Fully Adjustable Sensor with Label gap, card notch & reflective black mark
Label Roll Capacity	Internal- 125 mm OD External-200 mm OD
Memory	Flash -2MB, DRAM-6 MB
Interface	RS-232/ Centronics Parallel Port, USB
Bar Code	1D Barcodes: Min.12standard barcodes 22D Barcodes: Min. PDF-417, Maxi code, Data matrix
Media Type	Roll-fed, Fan fold, Continuous, Die cut, black mark, ticket, tag
Media Width	1" to 4.1" with adjustable printing size.
Cables & Interfaces	All necessary cables & interfaces for connectivity to Mains & Computer.
Others	Should come with drivers for Windows, Mac OS
Integration	Easy integration with HIS application
Accessories	All Accessories cables (Power and Data Cable) to be included
Warranty	3 years comprehensive on-site OEM warranty

Category 7. Multifunctional Printer

I. Entry Level Configuration

A. Laser – 20 PPM (estimated cost Rs.17,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	Laser
Print Speed (Minimum)	20 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Manual
Memory	64 MB or higher
Display	Yes
Connectivity	USB/ Ethernet, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

B. InkTank – 20 PPM (estimated cost Rs.17,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	InkTank (Bottle/ Pouch Based)
Print Speed (Minimum)	20 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Manual
Memory	64 MB or higher
Display	Yes
Connectivity	USB/ Ethernet, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

II. Medium Level Configuration

A. Laser – 25 PPM (estimated cost Rs.25,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	Laser
Print Speed (Minimum)	25 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	64 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	8000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

B. InkTank – 25 PPM (estimated cost Rs. 25,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	InkTank (Bottle/ Pouch Based)
Print Speed (Minimum)	25 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	64 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	8000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

C. Laser – 30 PPM (estimated cost Rs.30,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	Laser
Print Speed (Minimum)	30 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	128 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	10000 pages or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

D. InkTank – 30 PPM (estimated cost Rs.30,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	InkTank (Bottle/ Pouch Based)
Print Speed (Minimum)	30 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	128 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	10000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

III. Mid-High Level Configuration

A. Laser – 35 PPM (estimated cost Rs.40,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	Laser
Print Speed (Minimum)	35 PPM (Mono) or higher
Paper Size	A4, Legal or above

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	256 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	20000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

B. InkTank – 35 PPM (estimated cost Rs.40,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	InkTank (Bottle/ Pouch Based)
Print Speed (Minimum)	35 PPM (Mono) or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	256 MB or higher
Display	Yes
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	20000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	200 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

IV. MFP Color

A. Color 20 PPM InkTank : (estimated cost Rs. 45,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	InkTank (Bottle/ Pouch Based)
Print Speed (Mono)	20 PPM or higher
Print Speed (Color)	20 PPM or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	64 MB or higher
Display	Yes
Connectivity	USB/ Ethernet, Wi-Fi
Duty Cycle (Monthly)	10000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

B. Color 20 PPM Laser : (estimated cost Rs. 45,000)

Parameter	Minimum Technical Specification
Functions	Print, Scan, Copy
Printing Technology	Laser
Print Speed (Mono)	20 PPM or higher
Print Speed (Color)	20 PPM or higher
Paper Size	A4 or above
Print Resolution	600 x 600 dpi or higher
Duplex	Auto
Memory	64 MB or higher
Display	Yes
Connectivity	USB/ Ethernet, Wi-Fi
Duty Cycle (Monthly)	10000 pages or higher
Copy Speed	10 PPM or higher
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Scan Resolution	600 x 600 dpi or higher
Scan Type	FLATBED with ADF/ DADF or better
Input paper tray capacity	150 pages or higher
Compatible OS	Windows and Linux
Cables/ Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

C. A3 Ink tank – 25 PPM: (estimated cost Rs. 55,000)

Parameters	Minimum Technical Specification
Functions	Print , Scan, Copy
Printing Method	Ink tank (Bottle/ Pouch Based) Colour & Mono both
Paper size support	A3 or higher
Print Speed	25 PPM (Mono & Colour) for A4 10 PPM (Mono & Colour) for A3
Print Resolution	600 x 600 dpi or higher
Auto Duplex Print (For A3 and A4 for both)	Yes
Memory	128 MB or higher
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Copy Speed	20 PPM or Higher for mono and colour both
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Type	DADF/ SPDF or better
ADF paper tray capacity	40 pages or higher
Scan Resolution	600 x 600 dpi or higher
Input paper tray capacity	Minimum 100 or higher pages
Display	Yes
Compatible operating systems	Windows & Linux
Cables / Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	ROHS
Warranty	3 years comprehensive onsite OEM warranty

D. A3 Laser – 25 PPM: (estimated cost Rs. 55,000)

Parameter	Minimum Technical Specification
Functions	Print , Scan, Copy
Printing Method	Laser Colour & Mono both
Paper size support	A3 or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Print Speed	25 PPM (Mono & Colour) for A4 10 PPM (Mono & Colour) for A3
Print Resolution	600 x 600 dpi or higher
Auto Duplex Print (For A3 and A4 for both)	Yes
Memory	128 MB or higher
Connectivity	USB, Ethernet, Wi-Fi
Duty Cycle (Monthly)	5000 pages or higher
Copy Speed	20 PPM or Higher for mono and colour both
Copy Resolution	600 x 600 dpi or higher
Scan File Format	PDF, JPEG etc.
Scan Type	DADF/ SPDF or better
ADF paper tray capacity	40 pages or higher
Scan Resolution	600 x 600 dpi or higher
Input paper tray capacity	Minimum 100 or higher pages
Display	Yes
Compatible operating systems	Windows & Linux
Cables / Accessories	All the required cables, accessories
Software Media	Driver & Utility software
Certifications	BIS
Compliance	ROHS
Warranty	3 years comprehensive onsite OEM warranty

Category 8. Scanner –

I. Flatbed Scanner (A4) (estimated cost Rs. 10,000)

Parameter	Minimum Technical Specification
Type	Flatbed
Print Resolution	600 x 600 dpi
Light source	RGB LED
Paper size support	A4
Interface	USB
Certification	BIS
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

II. Flatbed with ADF Scanner (A4) (estimated cost Rs. 25,000)

Parameter	Minimum Technical Specification
Type	Flatbed with ADF
Speed (minimum)	25 PPM or higher
Print Resolution	600 x 600 dpi
Light source	RGB LED
Paper size support	A4, Letter, Legal, Envelop
Duplex paper support	A4 or higher
Interface	USB

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Daily Duty cycle (minimum)	1000 scan/ day
ADF feeder capacity (minimum)	50 sheets or higher
Certification	BIS
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

III. Sheet Feed Scanner (A4/ Legal) (estimated cost Rs. 30,000)

Parameters	Minimum Technical Specifications
Scanner Type	Sheet Feed Scanner
ADF Capacity	Min. 50 Sheets or higher
Scanning	Simplex, Single Pass Duplex
Paper Size Support	A4, Legal, Letter
Optical resolutions	600 x 600 dpi (Color and Mono Sheet Feed)
Daily Duty Cycle	Approx. 3000 scans per day or higher
Scan Speed	25 PPM or higher
Interface	USB 2.0 or higher
Scan Format	PDF, JPEG/ PNG
Light Source	LED
Accessories	USB Cable, AC adaptor, Power Cable, Setup guide document, Installation software
Certification	BIS
Compliance	RoHS
Warranty	3 years comprehensive on-site OEM warranty

IV. Flatbed Scanner (A3 Size) (estimated cost Rs. 70,000)

Parameter	Minimum Technical Specifications
Paper size Support	A3, A4, Legal
Scanning Resolution	minimum 600*600 dpi or higher
Interface	USB 2.0
Sensor	Contact Image Sensor (CIS)/ Charge Coupled Device (CCD)
Scan Format	PDF, PDF/ A
Light Source	LED
Operating System Support	Windows/ Linux
Bundled Software Solutions	Industry standard interfaces for connecting software e.g. Windows ISIS/ TWAIN and Mac TWAIN drivers
Accessories	USB Cable , AC adaptor , Power Cable, Setup guide document, Installation software
Certification	BIS
Compliance	ROHS
Warranty	3 years comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

V. Barcode Scanner (estimated cost Rs. 6,000)

Parameter	Minimum Technical Specification
Compatible Devices	Laptops and PC
Connectivity Technology	USB
Scan Speed	100 scan/ Sec. or higher
Light source	LED/Infrared light/Visible light/laser
Scanner Type	Portable
Certifications	BIS, RoHS, ISO 9001 for OEM
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory/ NABL accredited labs (not old from last 5 Years)
Warranty	3 years comprehensive on-site OEM warranty

Category 9. Tablet

I. Tablet (10 inch-3GB – 32GB) (estimated cost Rs. 12,000)

Parameter	Minimum Technical Specifications
Display Size (Min.) (Inch)	10 Inch or higher
Display Resolution (Pixels)	1920*1200 or higher
Display Type	IPS/ TFT LCD or equivalent
Brightness (Nits)	350 or higher
Operating System	Android 11.0 or Higher
Connectivity Type	Wi-Fi
Wi-Fi Connectivity Type	802.11 a/b/g/n or higher
Bluetooth Connectivity	5.0 or higher
Processor	Octa Core 2.0 GHz or Higher (Cellular data Support-4G/LTE)
RAM Size and type	3 GB LPDDR3 or higher
Internal Storage	32 GB or higher
Location Technology	GPS/ A.GPS
Storage upgradable up to (Through Micro SD Card)	256 GB or higher
Rear Camera	8 MP or higher
Front Camera	5 MP or higher
Battery Capacity (Min.)	7000 mAh or higher
Certification	BIS
Compliance	ROHS
Additional Accessories	USB Cable & Charger
Tablet Cover	Compatible Smart cover for TAB, cover should have stand to hold the TAB
Warranty	3 years comprehensive OEM warranty including battery
Declaration on Land Border Clause	Declaration from OEM and Bidder

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

II. Tablet (10.1 inch-6 GB – 128 GB) (estimated cost Rs. 20,000)

Parameter	Minimum Specification
Type	Touch Screen
Operating System	Android 11.0 or higher
Display Size	10.1 inch or higher
RAM Size	6 GB or higher
Internal Storage	128 GB or higher
Connectivity	Wi-Fi 802.11 a/b/g/n/ac 2.4G&5GHz, Cellular, Bluetooth Ver. 5.0 or higher
Cellular Data Support	4G/ LTE or higher
Processor	Octa Core with 2.0 GHz or better (Mediatek/ Exynos/ Qualcomm Snapdragon)
Storage upgradable up to	256 GB or higher
Display Resolution	1920x1200 or better (Pixels)
Rear Camera(MP)	8 MP or more
Front Camera(MP)	5 MP or more
Battery Capacity	7000 mAh or higher
Location Technology	GPS & A-GPS
Weight	550gm or less
Certification	BIS
Compliance	ROHS
Warranty	3 years comprehensive OEM warranty including battery
Accessories	USB cable and charger

III. Tablet (8.5 inch- 4 GB – 64 GB) (estimated cost Rs.12,000)

Parameter	Minimum Technical Specifications
Display Size (Min.) (Inch)	8.5" Inch or higher
Display Resolution (Pixels)	1340*800 or higher
Display Type	IPS/ TFT LCD or equivalent
Brightness (Nits)	350 or higher
Operating System	Android 13.0 or Higher
Connectivity Type	Wi-Fi & 4G/LTE
Wi-Fi Connectivity Type	802.11 a/b/g/n or higher
Bluetooth Connectivity	5.0 or higher
Processor	Octa Core 2.0 GHz or Higher
RAM Size and type	4 GB LPDDR3 or higher
Internal Storage	64 GB or higher
Location Technology	GPS/ AGPS
Storage upgradable up to (Through Micro SD Card)	256 GB or higher
Rear Camera	8 MP or higher
Front Camera	2 MP or higher
Battery Capacity (Min.)	5000 mAh or higher

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Certification	BIS
Compliance	ROHS
Additional Accessories	USB Cable & Charger
Warranty	3 years comprehensive OEM warranty including battery

Category 10. UPS –

I. 1KVA (estimated cost Rs. 7,500)

Parameter	Minimum Technical Specifications
UPS Capacity	1 KVA
Mode	Line interactive
Protection	Full Protection
voltage	230V / 50 Hz
Range	170V- 270V
Power factor	0.6 or higher
Back up time	168 VAH for 20 Minutes back upon 1 PC (In built Batteries)
Indicator	Mains On/ On Battery/ Low Battery/ Fault/ Overload
Plug and cable	As per standard
Battery Type	Sealed Lead Acid Valve Regulated
Alarm	ON Battery/ Fault Over Load, Low Battery
Certifications	BIS, ISO 9001
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory/ NABL accredited labs (not old from last 5 Years)
Warranty	3 Years comprehensive on site OEM warranty

II. 2 KVA (estimated cost of Rs. 10,000)

Parameter	Minimum Technical Specifications
UPS Capacity	2 KVA
Mode	Line interactive
Protection	Full Protection
voltage	230V/ 50Hz
Range	170V-270V
Power factor	0.6 or higher
Back up time	504 VAH for 30 Minutes back upon 4 PC (In built Batteries)
Indicator	Mains On/ On Battery/ Low Battery/ Fault/ Overload
Plug and cable	As per standard
Battery Type	Sealed Lead Acid Valve Regulated
Alarm	ON Battery/ Fault Over Load, Low Battery
Certifications	BIS, ISO 9001
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory/ NABL accredited labs (not old from last 5 Years)
Warranty	3 Years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

III. Online UPS 1KVA (estimated cost Rs. 20,000)

Parameter	Minimum Technical Specifications
UPS Capacity	1 KVA
Mode	Online
Protection	Full Protection
voltage	230V/ 50Hz
Range	110V-280V @ < 50% load, 170V -280V @100% load
Power factor	0.8 or higher
Back up time	336 VAH for 30 Minutes back upon 2 PC
Indicator/ Display	Mains On/ On Battery/ Low Battery/ Fault/ Overload
Plug and cable	As per standard
Battery Type	Battery shall be of Sealed Maintenance (SMF) or VRLA type with rack/ tray
Alarm	ON Battery/ Fault Over Load, Low Battery
Certifications	BIS, ISO 9001
Compliance	ROHS (Only UPS)
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory/ NABL accredited labs (not old from last 5 Years)
Warranty	3 Years comprehensive on site OEM warranty

IV. Online UPS 2 KVA (estimated cost of Rs. 50,000)

Parameter	Minimum Technical Specifications
UPS Capacity	2 KVA
Mode	Online
Protection	Full Protection
voltage	230V/ 50Hz
Range	110V-280V @ < 50% load, 170V -280V @100% load
Power factor	0.8 or higher
Back up time	672 VAH for 30 Minutes back upon 5 PC
Indicator/ Display	Mains On/ On Battery/ Low Battery/ Fault/ Overload
Plug and cable	As per standard
Battery Type	Battery shall be of Sealed Maintenance (SMF) or VRLA type with rack/ tray
Alarm	ON Battery/ Fault Over Load, Low Battery
Certifications	BIS, ISO 9001
Compliance	ROHS (Only UPS)
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory/ NABL accredited labs (not old from last 5 Years)
Warranty	3 Years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

V. Online UPS 3 KVA (estimated cost Rs. 80,000)

Parameter	Minimum Technical Specification
Rated Capacity	3 KVA
Mode	Online
Input Voltage Range (Load <50%)	118~280V (± 5V)
Input Voltage Range (Load >50%)	170~280V (± 5V)
Frequency	50 Hz ± 0.1 Hz
Phase	Single Phase with Ground
Power Factor	≥ 0.8
Output Voltage Range	208 / 220 / 230 / 240 V AC
Frequency Range (Synchronized Range)	47 ~ 53 Hz or 57 ~ 63 Hz
Frequency Range (Battery Mode)	50 Hz ± 0.1 Hz or 60Hz ± 0.1 Hz
Thd (Linear Load)	≤2%
Thd (Non-Linear Load)	≤5%
Overload	>110% for 1 Min
	>150% instant turn to Bypass
Crest Factor	3:1 (Max)
Short Circuit Protection	5 cycles turn Off Inverter, no transfer to Bypass, provide Alarm (AC Mode), 5 cycles turn Off Inverter, provide Alarm (Battery Mode), Input Fuse blown or Breaker action
Waveform	Pure Sinewave
TRANSFER TIME	ZERO
(AC Mode To Battery Mode)	<4 ms
(Inverter To Bypass)	
Efficiency	85%~ 92%
Battery	Battery shall be of Sealed Maintenance (SMF) or VRLA type with minimum 1 Hrs. Battery Backup at full load, ISO 9001 & 14001 Certified with Rack/ Trays
RS232, SNMP (Optional)	RS232, SNMP (Optional)
Certifications	BIS, ISO 9001
Compliance	ROHS (Only UPS)
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory (not old from last 5 Years),
Warranty	3 years comprehensive on-site OEM warranty

VI. Online UPS 5 KVA (estimated cost Rs. 1,75,000)

Item	Minimum Technical Specifications
UPS Capacity	5 KVA
Mode	Online
DC Voltage	Default 192V+, (192 - 240 Settable)
Type	Single phase, IGBT based, true Online UPS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Input	Single phase-three wires, the bidder has to supply equipment as per power supply available
Output	Single phase-three wires
Output Waveform	Sinusoidal
Power Factor	≥ 0.9
Voltage Regulation	≤ ±2%
Inverter Efficiency	≥93%
Overload Capability	110% for ≥10 Minutes
Total Harmonic distortion (THDI)	<5% at Full load
Transient response	Less than ±10% voltage variation at sudden application/ removal of full load and it shall recover within 20 msec.
Environment	Approx.:0-50°C & 95% RH
Charger	Charging mode shall be provided Battery Charging Voltage & Current shall be adjustable Line & load Regulation: ≤ ±2% Output Ripple: ≤ 3%
Battery	Battery shall be of Sealed Maintenance (SMF) or VRLA type with minimum 1 Hrs. Battery Backup at full load, ISO 9001 & 14001 Certified with Rack/ Tray
Other Requirement	Both Manual & Static bypass switch should be Provided. Build in display for displaying all requisite UPS & battery parameters for both input & output
Certifications	BIS
Compliance	ROHS (Only UPS)
Test report	OEM should submit test report for the quoted model issued by State/ Central laboratory (not old from last 5 Years),
Warranty	3 years comprehensive on-site OEM warranty

Category 11. IFPD –

1) Interactive Flat Panel 86”: (estimated cost Rs. 2,75,000)

Parameter	Minimum Technical Specification
Size (Diagonal)	86” or higher
Panel Technology	IPS/ VA
Resolution (Minimum)	4 K (3840 x 2160)
Brightness	400 nits or better
Contrast Ration (Typical)	1100:01 or better
Viewing Angle (H x V)	178*178
Response Time	8 ms or less
RAM	4 GB or higher
On-board Memory	32 GB or higher
Input (Minimum)	3 x HDMI, 4 x USB (Out of which min 2xUSB3.0), 1 x Audio, 1 x OPS slot, 1 x USB Type- C Port
Output (Minimum)	1 x HDMI, 1 x Audio
Panel Life (Minimum)	30000 Hours or higher
Wi-Fi Supports	Wi-Fi (802.11 a/b/g/n/ac) Support

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

External Control	RS232C (1), RJ45 (1)
Speaker	Built-in Speaker (15 W+ 15 W) or higher
Platform	Android 14.0 or higher
Detection Method	IR/IPV
Pen (Stylus)	2 nos. with dual pen support and Magnetic Fixtures
Operating System Support	Windows / Linux / Android
Multi Touch Point	Minimum 20 Points with +/- 2.0 mm or better
Surface Hardness	Minimum 3.2 MM Toughened Glass with level 7 MOHS Standard or higher surface hardness (configuration)
Features	Smart Writing of different colors & annotation
Panel Features	Interactive flat panel with Light Sensor / Manual Light & Brightness Control, Connectivity via wireless Screen Cast, Wireless Screen Sharing from Mobile, Tablet, Laptop/PC
Certifications	BIS
Compliance	ROHS
User Convenience Features	Multi-Screen with PBP/PIP, min 2 split view, etc.
Accessory	Power Cable (IS), HDMI Cable, User Manual, Wall Mount Kit as per requirement
Warranty	3 years comprehensive on site OEM warranty

2) Interactive Flat Panel 75": (estimated cost Rs. 2,50,000)

Parameter	Minimum Technical Specification
Size (Diagonal)	75" or higher
Panel Technology	IPS/ VA
Resolution (Minimum)	4 K (3840 x 2160)
Brightness	400 nits or better
Contrast Ration (Typical)	1100:01 or better
Viewing Angle (H x V)	178*178
Response Time	8 Ms or less
RAM	4 GB or higher
On-board Memory	32 GB or higher
Input (Minimum)	2 x HDMI, 4 x USB (Out of which min 2xUSB3.0), 1 x Audio, 1 x OPS slot, 1 x USB Type- C Port
Output (Minimum)	1 x HDMI, 1 x Audio
Panel Life (Minimum)	30000 Hours or higher
Wi-Fi Supports	Wi-Fi (802.11 a/b/g/n/ac) Support
External Control	RS232C (1), RJ45 (1)
Speaker	Built-in Speaker (15 W+ 15 W) or higher
Platform	Android 14.0 or higher
Detection Method	IR/ IPV
Pen (Stylus)	2 nos. with dual pen support and Magnetic Fixtures
Operating System Support	Windows / Linux / Android
Multi Touch Point	Minimum 20 Points with +/- 2.0 mm or better
Surface Hardness	Minimum 3.2 MM Toughened Glass with level 7 MOHS Standard or higher surface hardness (configuration)
Features	Smart Writing of different colours & annotation

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Panel Features	Interactive flat panel with Light Sensor / Manual Light & Brightness Control, Connectivity via wireless Screen Cast, Wireless Screen Sharing from Mobile, Tablet, Laptop/PC
Certifications	BIS
Compliance	ROHS
User Convenience Features	Multi-Screen with PBP/PIP, min 2 split view, etc.
Accessory	Power Cable (IS), HDMI Cable, User Manual, Wall Mount Kit with 8 no. Fasteners
Warranty	3 years comprehensive on site OEM warranty

3) Interactive Flat Panel 65": (estimated cost Rs. 2,00,000)

Parameter	Minimum Technical Specification
Size (Diagonal)	65" or higher
Panel Technology	IPS/ VA
Resolution (Minimum)	4 K (3840 x 2160)
Brightness	400 nits or better
Contrast Ration (Typical)	1100:01 or better
Viewing Angle (H x V)	178*178
Response Time	8 MS or less
RAM	4 GB or higher
On-board Memory	32 GB or higher
Input (Minimum)	2 x HDMI, 4 x USB (Out of which min 2xUSB3.0), 1 x Audio, 1 x OPS slot, 1 x USB Type- C Port
Output (Minimum)	1 x HDMI, 1 x Audio
Panel Life (Minimum)	30000 Hours or higher
Wi-Fi Supports	Wi-Fi (802.11 a/b/g/n/ac) Support
External Control	RS232C (1), RJ45 (1)
Speaker	Built-in Speaker (15 W+ 15 W) or higher
Platform	Android 14.0 or higher
Detection Method	IR/ IPV
Pen (Stylus)	2 nos. with dual pen support and Magnetic Fixtures
Operating System Support	Windows / Linux / Android
Multi Touch Point	Minimum 20 Points with +/- 2.0 mm or better
Surface Hardness	Minimum 3.2 MM Toughened Glass with level 7 MOHS Standard or higher surface hardness (configuration)
Features	Smart Writing of different colours & annotation
Panel Features	Interactive flat panel with Light Sensor / Manual Light & Brightness Control, Connectivity via wireless Screen Cast, Wireless Screen Sharing from Mobile, Tablet, Laptop/PC
Certifications	BIS
Compliance	ROHS
User Convenience Features	Multi-Screen with PBP/PIP, min 2 split view, etc.
Accessory	Power Cable (IS), HDMI Cable, User Manual, Wall Mount Kit with 8 no. Fasteners
Warranty	3 years comprehensive on site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Category 12. TV

1) LED 32" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 20,000)

Parameter	Minimum Technical Specification
Size	32"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	16/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

2) LED 43":

A. LED 43" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 40,000)

Parameter	Minimum Technical Specification
Size	43"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	16/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

B. LED 43" with 24/7 duty cycle & 500 Nits or higher brightness: (estimated cost Rs. 50,000)

Parameter	Minimum Technical Specification
Size	43"
Resolution	3840*2160 (4KUHD)
Brightness	500 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	24/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

3) LED 48":

A. LED 48" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 45,000)

Parameter	Minimum Technical Specification
Size	48"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	16/7 Hrs.

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

B. LED 48" with 24/7 duty cycle & 500 Nits or higher brightness: (estimated cost Rs. 55,000)

Parameter	Minimum Technical Specification
Size	48"
Resolution	3840*2160 (4KUHD)
Brightness	500 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	24/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

4) LED 50":

A. LED 50" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 50,000)

Parameter	Minimum Technical Specification
Size	50"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	16/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

B. LED 50" with 24/7 duty cycle & 500 Nits or higher brightness: (estimated cost Rs. 65,000)

Parameter	Minimum Technical Specification
Size	50"
Resolution	3840*2160 (4KUHD)
Brightness	500 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	24/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

5) LED 55":

A. LED 55" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 60,000)

Parameter	Minimum Technical Specification
Size	55"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	16/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

B. LED 55" with 24/7 duty cycle & 500 Nits or higher brightness: (estimated cost Rs. 75,000)

Parameter	Minimum Technical Specification
Size	55"
Resolution	3840*2160 (4KUHD)
Brightness	500 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	24/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

6) LED 65":

A. LED 65" with 16/7 duty cycle & 300 Nits or higher brightness: (estimated cost Rs. 75,000)

Parameter	Minimum Technical Specification
Size	65"
Resolution	3840*2160 (4KUHD)
Brightness	300 Nits or higher
Panel Technology	IPS/ VA

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Digital out Audio/ Video
Duty Cycle	16/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

B. LED 65" with 24/7 duty cycle & 500 Nits or higher brightness: (estimated cost Rs. 95,000)

Parameter	Minimum Technical Specification
Size	65"
Resolution	3840*2160 (4KUHD)
Brightness	500 Nits or higher
Panel Technology	IPS/ VA
Viewing Angle (H/V)	178°
Display Colors	16.7 million
Color Gamut	72%
Audio	Built in Speaker (10W + 10W)
Input	HDMI 2.0 x 3, USB 2.0x1
Output	Line Level Audio Out-3.5MM Jack/ Bluetooth Audio Connectivity
Duty Cycle	24/7 Hrs.
Special Features	UHD Signage with Built-in Software, Smart Share, Web browser, Button lock, Plug Play, HDR Pro/10/Plus
External Control	RJ45
Mounting	Wall Mount, all required accessories has to be supply for installation
Certificates	BIS, UL
Compliance	ROHS
Warranty	3 years comprehensive on site OEM warranty

Category 13. Web Camera: (estimated cost of Rs. 2000)

Parameter	Minimum Technical Specification
Device Type	Plug & Play Web Camera
Connectivity Technology	Wired

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Resolution	Minimum 2 MP and shall support upto 1080P Video Capture at minimum 30 fps
Image Sensor	CMOS
Features	Clear and richer picture with 5G/>=55 degree wide angle Lens, brightness controller, digital zoom
OS Support	Windows, Mac and Linux
Video Input	Color
Audio	Built-in mics with auto noise reduction
Interfaces	USB 2.0 and Above Connector
Cable Details	USB Cable min 1 Meter
Certification	RoHS Compliance, BIS
Warranty	3 years comprehensive on-site warranty.

Category 14. Digital Podium: (estimated cost of Rs. 2,50,000 considering highest configuration)

Parameter	Minimum Technical Specification
Display	Interactive Panel (23.8" active diagonal size)/ 21"/ 19" (As per requirement), Resolution 1920 X 1080, 10 Points Multi-touches Free stylus with eraser switch, Video I/O port, four shortcut keys, 11-73-degree adjustable tilt stand with accessories (supplied with Toughened Glass and Anti-Shock Mount)
Integrated Controller	Touch panel control minimum 7" or better (must be fitted in Podium)
	<ul style="list-style-type: none"> • Min 1 VGA Input, Min 1 VGA Output / HDMI Out / USB Type C port • Min 2 Screen control port • Min 2 RS 232 Port IR receiver for IR Control • Min 2 Hybrid Relay Ports • Min 1 LAN Port
	Squelch Control and frequency from 100 Hz to 15000 Hz (impedance less than 280 ohms)
Temperature controlled fan	Integrated Temperature controlled Cooling fans to help regulate the right temperature for the podium
Mobility	4 Wheels or more as required
Rack Storage	19U or more (to keep tablet/writing panel, CPU, video mixer, DSP, Amplifier, switch & Wi-Fi modem)
Extra Ports on the podium	Power outlet, USB, LAN, RGB, Audio In, HDMI
Security	Locking front and sliding cover doors
Keyboard	Pull out the shelf for the keyboard
Controller	<ul style="list-style-type: none"> • Movement of Screens, Projector, LCD Display, and Volume adjustment shall be controlled through the controller • Video Output can be switched from Podium Desktop and Writing panel through controller

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

	<ul style="list-style-type: none"> • Video Output can be switched from current location to remote location from the desktop/ laptop/ controller • Video Output of tablet/ camera of the class can be viewed at the remote site • Synchronization of student interaction mic with mixers/ DSP for every participating class • Synchronization of different speakers / mic, video equipment and amplifiers in all the classes • Fixed inside the podium/dias resolution : 800X480
--	--

Category 15. Camera

1) PTZ Camera 18X: (estimated cost of Rs. 1,25,000)

Parameter	Minimum Technical Specification
Standard	OVNIF Profile S Compliant
White Balance	The camera should have an Option of Auto or Manual White Balance.
Gain Control	The camera should have an auto Gain Control
Picture controls	The camera should have picture control for brightness, color, saturation, contrast, sharpness, and gamma
S/N ratio	The camera should have a S/N Ratio of >50db.
Focus	The camera Lens should have an Auto Focus.
Sensor	The camera should have 1/2.8" HD CMOS
Optical Zoom	The camera should have a 18 X or more Optical Zoom.
Video Output	The camera should have a standard video output though HDMI/ USB/ IP (as per requirement)
Signal Support	The camera should support signals: 1080P@30, 1080P@25, 1080i@60, 1080i@50, 720P@60, 720P@50, 720P@30, 720P@25
Pre-sets	The camera should have Up to 16 Position Pre-sets and Min. 10 accessible from IR remote.
Viewing Angle	The camera should have 6° (telephoto), 60° (wide-angle) or better
Pan Range	The camera should have Pan movement range of - 170 degrees to + 170 degrees or better
Tilt Range	The camera should have Tilt movement range of - 30 degrees to + 90 degrees or better
Remote Control	The camera should be supplied with IR remote control as an included accessory, Min. 10 pre-set should be available & should support VISCA, Pelco-D, and Pelco-P camera control protocols
Accessories	All required accessories for installation of camera to be provided like camera bracket, connector kit screws etc.
Certification	BIS
Compliance	ROHS

2) PTZ Camera 10X: (estimated cost of Rs. 1,00,000)

Parameter	Minimum Technical Specification
Sensor	1/2.8" 2MP
White Balance	Auto or Manual White Balance.
Gain Control	auto Gain Control

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Back Light	selectable Back-light compensation
S/N ratio	S/N Ratio of >50db.
Focus	Auto Focus.
Iris	Auto/Manual Iris
Optical Zoom	10X or Higher
Digital Zoom	8X or Higher
Signal Support	The camera should support signals: 1080P@30,1080P@25, 1080i@60,1080i@50, 720P@60,720P@50 ,720P@30, 720P@25, PAL, NTSC
Video Output	HDMI/ USB/ IP (as per requirement)
Pre-sets	At least 128 Position Pre-sets
OSD Menu	OSD Menu for checking the status
Image Flip	Vertical and Horizontal Image Auto Flip
Pan Range	The pan movement range of - 100 degrees to + 100 degrees or better
Tilt Range	The tilt movement range of -30 Degrees to + 30 degrees or better
Communication	RS232/ IP
Remote Control	Camera ID base tracking
Accessories	The camera should be supplied with a ceiling mounting structure for proper installation
Certification	BIS
Compliance	ROHS

3) PTZ Camera 20X: (estimated cost of Rs. 2,00,000)

Parameter	Minimum Technical Specification
Sensor	1/2.8" 2.3MP
White Balance	Auto or Manual White Balance.
Gain Control	auto Gain Control
Back Light	selectable Back-light compensation
S/N ratio	S/N Ratio of >50db.
Focus	Auto Focus.
Iris	Auto/Manual Iris
Video Output	HDMI/ USB/ IP (as per requirement)
Optical Zoom	20X or Higher
Digital Zoom	12X or higher
Signal Support	1080P@30,1080P@25, 1080i@60,1080i@50, 720P@60,720P@50, 720P@30, 720P@25 ,PAL ,NTSC
Pre-sets	At least 128 Position Pre-sets
OSD Menu	OSD Menu for checking the status
Image Flip	Vertical and Horizontal Image Auto Flip
Pan Range	Pan movement range of - 170 degrees to + 170 degrees or better
Tilt Range	Tilt movement range of -30 Degrees to + 90 degrees or better
Accessories	The camera should be supplied with a ceiling mounting structure for proper installation
Certification	BIS
Compliance	ROHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

4) PTZ Camera Auto tracking 12X: (estimated cost of Rs. 3,50,000)

Parameter	Minimum Technical Specification
Sensor	1 / 2.8" 8.6M
Video Format	2160p: 59.94 / 50 / 29.97 / 25 1080p: 59.94 / 50 / 29.97 / 25 1080i: 59.94 / 50 720p: 59.94 / 50
Video Output Interface	USB 3.0/ HDMI/ IP (as per requirement)
Genlock	Yes
Optical Zoom	12X or Higher
Digital Zoom	8X or Higher
Horizontal Viewing Angle / Vertical Viewing Angle / Diagonal Viewing Angle	81° / 50° / 90°
Shutter Speed	1/25 ~ 1/10,000 sec
Video S/N Ratio	>50dB
Minimum Illumination	0.05 lux (F1.6, 50IRE, 30fps)
Focus System/ Gain Control/ White Balance	Auto / Manual
WDR / Image Flip / 3D NR	Yes
Panning Angle	+170° ~ -170°
Tilting Angle	+90° ~ -30°
Preset Positions	128
HDMI / 12G-SDI	1080p60 or Higher
IP Protocol	HTTP/ RTSP / RTMP / RTMPS / SRT
Output	Ethernet -3G-SDI & HDMI 2.0
Certification	BIS
Compliance	ROHS

Category 16. Video Mixer:

a) 4x4 Matrix Switcher with audio de-embedding: (estimated cost of Rs. 50,000)

Parameter	Minimum Technical Specification
Output	Min. 4 HDMI/ USB matrix output (as per requirement)
Input	Min. 4 HDMI/USB Input (as per requirement)
Compliant	HDCP, EDID Compliant
Support	4K/UHD capability @60Hz
CEC	CEC display control
Audio De-embedding	Built-in HDMI audio de-embedding
Color Depth	8bit, 10bit
Bit Rate	upto 24-bit
Audio	Multi-channel audio compliant
Control	TCP/IP, RS232 & IR Control
Certification	BIS
Compliance	ROHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

b) Video Mixer: (estimated cost of Rs. 2,00,000)

Parameter	Minimum Technical Specification
Video In	HDMI type-A/ USB × 4 (as per requirement)
Video Out	HDMI type-A PGM/ USB ×1, HDMI type-A Multiview/ USB ×1 USB 3.0 type C ×1 (Streaming on PC) Assignable HDMI 1~4/ USB, PGM, Clean PGM, PVW, Color bar, Multiview
PC Control Port	LAN×1
Media Library	USB type-A ×1(USB disk port for image import and firmware upgrade)
Transitions	T-Bar/AUTO/ CUT
Effects	Wipe (9×2 patterns)/ Mix/ DIP/ Pattern/ Still(freeze)/ MUTE/ FTB
Audio Mixer	USB/ HDMI ×4 and MIC/ Line level ×2; Audio delay: 0-500ms
Generators	Pattern generator ×1 Colour generators ×2
Accessories	Power supply (12V2A) ×1; USB cable (type A-C) ×1; Tally connector (DB-15) ×1
Certification	BIS
Compliance	ROHS

Category 17. Video Graphic Processor

1) Video Graphic Processor: (estimated cost of Rs. 2,00,000 considering higher configuration)

Parameter	Minimum Technical Specification
Compatibility	Windows 11 / 10/ 8
Form Factor	Desktop external GPU system
Base and Boost Clock:	2.21 and 2.51 (GHz)/ 1.4 and 1.7 (GHz) or higher
Memory Interface Width:	256-bit/ 384-bit
Display Resolution:	7680x4320
Connectors:	3xPCIe 8-pin cables (adapter in box) OR 450 W or greater PCIe Gen 5 cable
Standard Mount Interface:	24 GB GDDR6X/ 16 GB GDDR6X or higher
Resolution	4CIF/DCIF/2CIF/CIF/QCIF/Real-time
Sync	Video and Audio Synchronization
Expansion Slots:	3-Slot (61mm)
Certification	BIS
Compliance	ROHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Category 18. Wall / Ceiling Speakers

1) Wall / Ceiling Speakers (15W): (estimated cost of Rs. 25,000 considering higher configuration)

Parameter	Minimum Technical Specification
Effective frequency range	65 Hz to 20 kHz
Rated noise power / voltage	15 watts / 15.5 volts (rms) or 18 watts / 15.5 volts (rms) (as per requirement)
Broad-band sensitivity	89 dB SPL
Coverage angle (-6 dB)	110° (500 Hz to 5 kHz)
Maximum continuous SPL	104 dB
Maximum peak SPL	110 dB
Rated impedance	8 ohms
Woofers	Woofers size to be 6" or more HD Type
Frequency	The Speaker should have a frequency response of 80 Hz to 17,000 Hz
Baffle material	Painted ABS polymer/ Powder coated steel/ Galvanized steel
Grille material	Painted ABS polymer/ Powder coated steel/ Galvanized steel
Back can material	Painted ABS polymer/ Powder coated steel/ Galvanized steel
Certification	BIS
Compliance	ROHS

Category 19. Power Amplifier (estimated cost of Rs. 1,00,000 considering higher configuration)

Parameter	Minimum Technical Specification
Channels	1/ 2/ 4 (as per requirement)
Stereo Mode (all channels driven) 8 Ω 4 Ω	100 W per channel
Bridged Outputs (all channels driven) 8 Ω & 4 Ω 70 V 100 V	Minimum power (in watts) per channel > (total power of amplifier)/ No. of channel(s)
Frequency response (4 Ω and 8 Ω)	20 Hz - 20 KHz +/- 0.1 dB
Signal to noise (20 Hz - 20 KHz)	85 dB or Higher
Input sensitivity	1.23 V (+4 dBu)
Output circuitry	Class D
Input impedance	>10k
Cooling	Convection
Controls	4 Ω/8 Ω/70 V Bridged High pass On/100 V Bridged High pass (per channel pair)
Dimensions	Should be well adjustable in Podium
Certification	BIS
Compliance	ROHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Category 20. DSP with Audio Mixer (estimated cost of Rs. 2,00,000)

Parameter	Minimum Technical Specification
Audio Ports	Digital Signal Processor with at least 8 Audio Ports IN and minimum 8 Out is required including Audio Input for: <ul style="list-style-type: none"> • 1 No Gooseneck Mic • 2 No Handheld Mic • 1 No Lapel Mic • 1 inbuilt or external USB Audio Port to allow digital connection between DSP and the PC • 01 Laptop in (Preferably USB)
Echo Cancellation	Digital Signal Processor with an Acoustic Echo Cancellation of up to 60 dB would be required or better
Noise Cancellation	The Digital Signal Processor should perform Noise Cancellation of up to 20 dB for the podium microphone, Wireless Lapel Microphone and Handheld Microphone
Environment Noise	The Digital Signal Processor should suppress residual Echo to the Environment Noise Level to prevent Artificial ducking of signal
Equalization	The Digital Signal Processor should have Power Level Equalization
Convergence	Convergence during full duplex
Control	Should have RS232/ Ethernet for control through third party Control system.
Frequency Response	20 Hz to 20 KHz
Dynamic Range	100 dB or better.
Certification	BIS
Compliance	ROHS

Category 21. Mic

1) Handheld Mic: (estimated cost of Rs. 50,000)

Parameter	Minimum Technical Specification
Type	Wireless Handheld Microphone
Switching Bandwidth	Up to 24 MHz
Signal to noise ratio	>100dBA or better
Total Harmonic Distortion	<0.9%
Transmitter sync	2.4GHz/Ultra High Frequency (UHF)
Frequency Response	80Hz to 14KHz or better
Sensitivity	< 3 μ V at 52 dB(A)
Functionality	Mute/unmute button
Operating time	10 hours or better

2) Lavalier Microphone: (estimated cost of Rs. 50,000)

Parameter	Min. Specifications
Type	Wireless Lapel Microphone
switching Bandwidth	Up to 24 MHz
Signal-to-noise ratio	>100dBA or better
Total Harmonic Distortion	<0.9%

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Transmitter sync	2.4GHz/Ultra High Frequency (UHF)
Frequency Response	50 Hz to 16KHz or better
Sensitivity	< 3 μV at 52 dB(A)
Pre-polarized Polar Pattern	Omni-directional or better
Operating time	10 hours or better

Category 22. Switcher (estimated cost of Rs. 1,50,000)

Parameter	Minimum Technical Specification
Audio Output	4KUHD+ 4x2 HDMI Matrix
Connection	Four sources of (4KUHD+ HDMI)
Support signal	4K@60Hz (4:4:4, 8-bit) & 16 bit deep color HDR (High Dynamic Range), 3D content, HD audio and other features defined by the HDMI 2.0
input	independently set to use either an internal (Min. 1080p@60Hz or higher) or external (sink-copied) EDID
per-output auto	source switching & connected display power control using CEC or RS-232
Switching Response	freely switch between input source

Category 23. Projector (estimated cost of Rs. 50,000 considering higher configuration)

Parameter	Minimum Technical Specification
Technology	3 LCD/ DLP
Projection Method	Front & Rear Both
Minimum Resolution	XGA (1024 x 268)/ WXGA (1366 x 768) (as per required)
Brightness	Minimum 3300 ANSI Lumens for Color Light & White Light Output Both
Contrast Ratio	15000:1
Aspect Ratio	Minimum 4:3
Throw Ratio	1.44 – 1.95:1
Lamp Type	UHE
Lamp Life	Minimum 6000 Hrs. Normal Mode & 12000 Hrs. in Eco Mode
I/O Connection	VGA, HDMI, USB
Warranty	3 Years comprehensive on site OEM warranty

Category 24. LCD Writing Panel

Interactive White Board 21": (estimated cost of Rs. 20,000)

Parameter	Minimum Technical Specification
Size	Size should be 21 inch or higher
LED	The monitor should be LED backlit.
Resolution	The monitor should have a native resolution of 1920x1080 or better
Port	Should come with a USB port for control signals.
Luminosity	The monitor should have a Luminosity of 210 cd/m ² or more.
Connectivity	Should have a 15 Pin HD Input ports or DVI port.
OS Support	Should support Win 7 or higher.
Sensor	Should have an Electromagnetic Sensor Method.
Certification	BIS
Compliance	ROHS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Category 25. Head Phone (estimated cost of Rs. 1200)

Parameter	Minimum Technical Specification
Type	Over the Head, Plug & Play
Noise Cancelling microphone	Yes
Connection Type	Single/ Double 3.5mm Jack (As per requirement of Department)
Impedance	32 Ohms
Frequency Response	Headphone 20Hz-20K HZ, Microphone 100HZ-16K HZ
Sensitivity Headphone	100 DB+/-3DB
Compliance	ROHS
Warranty	3 Years comprehensive on site OEM warranty

Category 26. Biometric Scanner (estimated cost of Rs. 3000)

Scanning technology	Optical L1- Fingerprint Scanner
Fingerprint Sensor Type	Optical Scratch-Free Sensor
Operation	Plug and Play
Compatibility	Windows 10 or higher, Android
Platen Area	Minimum 12.8mm x 17 mm
Uses	Useful for e-KYC, Interface-USB/C-Type, Should support- Aadhaar Enable, Sim Activation, Payment, Access control, Time & Attendance
Interface	USB 2.0
Certification	BIS, STQC & UIDAI Certified
Compliance	ROHS
Warranty	3 Years comprehensive onsite OEM warranty

Category 27. Hard Drive

A. SATA 4 TB (estimated cost of Rs. 10,000)

Parameter	Minimum Technical Specification
Storage	4 TB
Interface	SATA
Type	External
Warranty	3 Year
Connectivity Technology	USB
Compatible Device	Laptop, Desktop, IFPD
Installation Type	Plug in
Accessories	USB 3.0 Cable

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

B. SATA 2 TB (estimated cost of Rs. 5000)

Parameter	Minimum Technical Specification
Storage	2 TB
Interface	SATA
Type	External
Warranty	3 Year
Connectivity Technology	USB
Compatible Device	Laptop, Desktop, IFPD
Installation Type	Plug in
Accessories	USB 3.0 Cable

Category 28. Monitor

A. Monitor 21"': (estimated cost Rs. 7,500)

Parameter	Minimum Technical Specification
Screen Size	21"
Panel Type	LCD
Resolution	FHD or Better
Input Output Ports	HDMI x 1, VGA x 1
Screen Feature	Antiglare, Flicker Free
Monitor Stand	Table Mount with Tilt Adjustment
Certifications	BIS
Compliance	ROHS
Warranty	3 Years comprehensive on site OEM warranty

B. Monitor 24"': (estimated cost Rs. 9,000)

Parameter	Minimum Technical Specification
Screen Size	24"
Panel Type	LCD
Resolution	FHD or Better
Input Output Ports	HDMI x 1, VGA x 1
Screen Feature	Antiglare, Flicker Free
Monitor Stand	Table Mount with Tilt Adjustment
Certifications	BIS
Compliance	ROHS
Warranty	3 Years comprehensive on site OEM warranty

C. Monitor 27"': (estimated cost Rs. 12,000)

Parameter	Minimum Technical Specification
Screen Size	27"
Panel Type	LCD
Resolution	FHD or Better
Input Output Ports	HDMI x 1, VGA x 1
Screen Feature	Antiglare, Flicker Free
Monitor Stand	Table Mount with Tilt Adjustment
Certifications	BIS

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Compliance	ROHS
Warranty	3 Years comprehensive on site OEM warranty

Category 29. Key-Board & Mouse

A. Key Board (Wired): (estimated cost Rs. 1,000)

Parameter	Minimum Technical Specification
Connectivity	USB
Keys	104
Certifications	BIS
Warranty	3 Years comprehensive on site OEM warranty

B. Mouse (Wired): (estimated cost Rs. 500)

Parameter	Minimum Technical Specification
Type	Optical
Connectivity	USB
Button	2 buttons with scroller
Certifications	BIS
Warranty	3 Years comprehensive on site OEM warranty

C. Key Board (Wire-less): (estimated cost Rs. 1,500)

Parameter	Minimum Technical Specification
Connectivity	Bluetooth
Keys	104
Certifications	BIS
Cell type	AA/ AAA
Warranty	3 Years comprehensive on site OEM warranty

D. Mouse (Wire-less): (estimated cost Rs. 1,000)

Parameter	Minimum Technical Specification
Type	Optical
Connectivity	Bluetooth
Button	2 buttons with scroller
Certifications	BIS
Cell type	AA/ AAA
Warranty	3 Years comprehensive on site OEM warranty

Category 30. CCTV setup (Overall estimated cost Rs. 50,000)

S. No.	Item description	Qty. per CCTV Setup
A.	Dome camera	4
B.	Bullet camera	1
C.	Network video recorder	1
D.	Display Monitor	1
E.	PoE switch	1
F.	Storage (Hard Disk)	1
G.	Accessories	1 lot

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

A. Dome camera:

Parameter	Minimum technical specification
Image Sensor	1/2.8" 2MP PS CMOS
Effective Pixels	1920(H) x 1080(V)
Minimum Illumination	0.002 lux@F1.6
Shutter Speed	Auto/Manual 1/3 s-1/100000s
White Balance	Auto; natural; Street lamp; Outdoor; Manual; Regional custom
RAM & ROM	128 MB
Lens	2.8mm fixed lens (3.6mm optional)
Max. Aperture	F1.6
Gain Control (AGC)	Auto/Manual
Lens Mount	M12
Back Light Compensation	BLC / HLC / WDR (120dB)
S/N Ratio	>56 dB
Video Compression	Instastream, H.265; H.264; H.264H; H.264B; MJPEG
Resolution	1080p (1920 x 1080); 1.3M (1280 x 960); 720p (1280 x 720); D1 (704 x 576/704 x 480); VGA (640 x 480); CIF (352 x 288/352 x 240)
Frame Rate	Main stream: 1920 x 1080@ (1-25/30 fps) Sub stream: 704 x 576@ (1-25 fps)/704 x 480@ (1-30 fps)
Bit Rate Control	CBR/VBR
Bit Rate	H.264: 32 kbps-6144 kbps H.265: 12 kbps-6144 kbps
Noise Reduction	3D-NR
Motion detection	Off / On (4 Zone, Rectangle)
Support: 4 Area	Privacy Mask, ROI
Audio Compression	G.711a; G.711Mu; G.726; PCM
Support	Built in Mic, SDK and API, Smart Illumination, Mirror Function
Protocol	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP, ONVIF (Profile S/Profile G); CGI
IR Distance	Up to 30 Mtr (IR LED)
IR Control	Auto/Manual
Day/Night	Auto (ICR)/Colour/B/W
Ethernet	RJ-45 (10/100Base-T)
IVS	Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human)
Smart search	Work together with Smart NVR to perform refine intelligent search, event extraction and merging to event videos
Alarm Event	No SD card; SD card full; SD card error; network disconnection; IP conflict; illegal access; motion detection; video tampering; tripwire; intrusion; audio detection; voltage detection; SMD; security exception

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Cyber Security	Video encryption; Firmware encryption; Configuration encryption; Digest; WSSE; Account lockout; Security logs; IP/ MAC filtering; Generation and importing of X.509 certification; syslog; HTTPS;802.1x; Trusted boot; Trusted execution; Trusted upgrade
Browser	IE; Chrome; Firefox
Smart Phone	iPhone, iPad, Android Phone
Storage	FTP; SFTP; Micro SD card (support max. 256 GB)
Image Rotation	0°/90°/180°/270° (Support 90°/270° with 1080p resolution and lower)
Weatherproof Standard	IP67 & IK10
Iris Control	Fixed
Power Source	12 VDC/PoE
Casing	Metal
Certificates	CE, FCC, ROHS, UL, BIS
Warranty	3 Year comprehensive on-site OEM warranty

B. Bullet camera:

Parameter	Minimum technical specification
Image Sensor	1/2.8" 2MP PS CMOS Image Sensor (0.9071 centimetres)
Minimum Illumination	0.002 lux@F1.6 (Color, 30 IRE) 0.0002 lux@F1.6 (B/W, 30 IRE) 0 lux (Illuminator on)
Effective Pixels	1920(H) x 1080(V)
Shutter Speed	Auto/Manual 1/3 s-1/100000 s
ROM & RAM	128 MB
White Balance	Auto/natural/street lamp/outdoor/manual/regional custom
Lens	2.8mm fixed lens (3.6mm optional)
Max. Aperture	F1.6
Close Focus Distance	2.8 mm: 0.7Mtr., 3.6 mm: 1.3Mtr.
Lens Mount	M12
Gain Control (AGC)	Auto/Manual
S/N Ratio	>56 dB
Back Light Compensation	BLC / HLC / WDR (120dB)
Video Compression	H.265, Smart H.264, H.264H, H.264, H.264B, MJPEG
Encode Strategy	Smart instastream
Stream Capability	2 Streams
Frame Rate	Main stream: 1920 x 1080@ (1-25/30 fps) Sub stream: 704 x 576@ (1-25 fps)/704 x 480@ (1-30 fps)
Resolution	1080p (1920 x 1080); 1.3M (1280 x 960); 720p (1280 x 720); D1 (704 x 576/704 x 480); VGA (640 x 480); CIF (352 x 288/352 x 240)

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Bit Rate	H.264: 32 kbps–6144 kbps H.265: 12 kbps–6144 kbps
Bit Rate Control	CBR/VBR
Noise Reduction	3D-NR
Motion detection	OFF/ON (4 areas, rectangular)
Support: 4 areas	Privacy Mask & ROI
Support	Mirror Function, SDK and API
Audio Compression	G.711a; G.711Mu; PCM; G.726
Audio	Built-in Mic
IR Distance	IR Range of 30 Mtr.
IR Control	Auto, Manual
Protocol	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP, ONVIF (Profile S/Profile T); CGI; Milestone
Ethernet	RJ-45 (10/100Base-T)
Day/Night	Auto (ICR)/Colour/B/W
Alarm Event	No SD card; SD card full; SD card error; network disconnection; IP conflict; illegal access; motion detecton; video tampering; tripwire; intrusion; SMD; voltage detection; security exception
User/Host	6
Cyber Security	Configuration encryption; Trusted execution; Digest; Security logs; WSSE; Account lock- out; syslog; Video encryption; 802.1x; IP/MAC filtering; HTTPS; Trusted upgrade; Trusted boot; Generation and importing of X.509 certification
Smart Phone	iPhone, iPad, Android Phone
Storage	FTP; SFTP; Micro SD card (support max. 256 GB)
IVS	Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human)
Smart search	Work together with Smart NVR to perform refine intelligent search, event extraction and merging to event videos
Image Rotation	0°/90°/180°/270° (Support 90°/270° with 1080p resolution and lower
Weatherproof Standard	IP67
Power Source	12 VDC/ PoE
Casing	Metal
Certificates	CE, FCC, ROHS, UL, BIS
Warranty	3 Year comprehensive on-site OEM warranty

C. Network video recorder:

Parameter	Minimum technical specification
Processor	Industrial-grade embedded processor
IP Camera Input	8 channel
Operating System	Embedded LINUX
RCA Input/ Output	1 Channel Input, 1 Channel Output, RCA

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

User Interface	Web/operating in local GUI
Video Output	1 VGA/1 HDMI simultaneous video output, maximum resolution 1080P
Compression	H.265/Smart H.264+/H.264
Encode Strategy	Instastream
Decoding Capability	1-ch@8MP (30FPS) or 1-ch@5MP (30FPS) or 2-ch@4MP (30FPS) or 2-ch@3MP (30FPS) or 4-ch@1080P (30FPS) 8-ch@720P (30FPS)
Resolution	8MP/5MP/4MP/3MP/1080P/720P/D1/CIF
Network Bandwidth	80 Mbps for access, 80 Mbps for storage and 60 Mbps for forwarding
Playback	Play, pause, stop, fast forward, fast backward, rewind, play by frame, Full screen, backup (cut/file), partially enlarge, audio on/off
Recording Mode	Priority of record mode: Manual recording, alarm recording, motion detection recording, timed recording
General Alarm	Motion detection, privacy masking, video loss, PIR alarm, IPC alarm
Anomaly Alarm	Front-end device going offline, storage error, full storage, IP conflict, MAC conflict, login lock, network security anomaly
Alarm Linkage	Video recording, snapshot, log, preset, tour
Hard Disk	1 SATA 2.0, up to 8TB Each
Smart Phone	iPhone, iPad, Android Phone
Backup Mode	USB Device
Storage	Local HDD & Network
Interface Ports	2 USB Ports (1 Rear USB 2.0, 1 Front USB 2.0)
Ethernet	1 RJ-45 Port (10/100Mbps)
Protocols	HTTP, HTTPS, TCP/IP, IPv4, IPv6, RTSP, UDP, NTP, DHCP, DNS, ONVIF (profile T/profile S/profile G), RTSP, CGI, SDK
Power Supply	DC12V, 1.5A
Certificates	CE, FCC, ROHS, UL, BIS
Warranty	3 Year comprehensive on-site OEM warranty

D. Display Monitor

Parameter	Minimum technical specification
Screen size	19.5" TFT or higher
Resolution	1600 * 900 or higher
Aspect ratio	16:9
Brightness (typ.)	250 cd/m2 or higher
Connectivity	VGA, HDMI
Speaker	2W * 2
Mount	Table mount
Certification	BIS, TCO 8.0 or higher
Compliance	RoHS
Warranty	3 Year comprehensive on-site OEM warranty

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

E. PoE switch:

Parameter	Minimum technical specification
Network Ports	10 (8+2) Port
PoE Ports	8 Port with 100Mbps, RJ45 ports, 30W Max. Output of a Single PoE Port with Transmission Distance of 0 -250m
Uplink Ports	2 Uplink Port, 100Mbps with Transmission Distance of 0-100m
Switch Capacity	2 Gbps Full duplex
Packet Forwarding Rate	0.1488 Mpps/Port
Network Standard	IEEE802.3i/802.3u/802.3x
PoE Standard	IEEE802.3af, IEEE802.3at
PoE Feature	All ports support MDI/MDIX
MAC Address List	2K
Transmission Distance	0-100m/100Mbps, Max. 250m/10Mbps via Cat.5e or more under Extend mode
PoE watchdog	Yes
LEDs Indicator	Light On - Powering, Light Off - No Power
Ethernet Port Light	Green Light, Red Light
SW (DIP Indicator)	Light on - VLAN/Extended mode, Light Off - Normal Mode
Extended Mode	Yes
VLAN	Yes
ESD Protection	Contact Discharge 1.5KV / Air Discharge 1.5KV
Forwarding Mode	Store-and-forward
Anti-thunder Level	Common mode: 2KV, Differential mode: 1.5KV
ESD	Contact Discharge 1.5KV / Air Discharge Level 1.5KV
Warranty	3 Year comprehensive on-site OEM warranty

F. Storage (Hard Disk)

Parameter	Minimum technical specification
Type	Surveillance hard disk
Storage capacity	1TB or higher
Form factor	3.5"
Connectivity technology	SATA
Warranty	3 Year comprehensive on-site OEM warranty

G. Accessories

Parameter	Minimum technical specification
Rack	Supplying and installation of Wall Mount Rack 3U Specially designed to safeguard the NVRs from Theft with Acrylic door; Lock & Key; With Fixed Tray and 3 Socket PDU 5amp - 1pc; Width 450mm, Depth 350mm, Height 200mm, Load Bearing Capacity - 15Kg
CAT6 cable	Supplying and laying of Shielded copper cable, category 6A F/UTP, low smoke zero halogen (LSZH), 4-pair, conductors are 23 AWG with PE insulation, twisted in pairs, separated by an integrated pair divider, surrounded by a metallic foil shield and protected by a low smoke zero halogen

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved

Cable locking clamps	Supplying and laying of Cable locking clamps are used with extension cables to prevent accidental disconnection and as per pre-approved by project-in-charge
Other items	Providing and fixing of required all type of cables like HDMI/ USB or any other cables, connectors, switches with PVC conduit/ casing with external power distribution unit and as per pre-approved by project-in-charge

H. Minimum eligibility criteria for CCTV OEM:

S. No.	Type	Parameters
1.	Safety standards	CCTV Camera OEM should be fulltime member of ONVIF, and quoted models should be listed on ONVIF official website (All the certifications & Credentials should be valid on the date of technical evaluation). The CCTV OEM should not be suspended/ blacklisted by ONVIF.
2.	Certifications	The CCTV OEM should have below ISO Certifications for Quality, Environment, Security management and Health & Safety Management system for manufacturing of all types of Cameras & NVR/ DVR. All the CCTV Components (Camera, VMS, NVR, DVR, etc.) should be from same OEM for seamless integration and ease of operation. The Bidder/s shall attach the copy of the OEM's ISO Certificate along with the bid. ISO9001:2015, ISO 14001:2015, ISO 27001:2013, ISO 45001:2018, IEC27032:2012 & CMMI level 5

####End of Document####

Signature valid

Digitally signed by Akhlesh Mittal
Designation: Technical Director
Date: 2025.06.09 17:18:56 IST
Reason: Approved